


NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




Breakpoint = 64

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**

Ciprofloxacin




Breakpoint = 4

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




*Breakpoint Not Established

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**

Nalidixic Acid




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)




↓ Breakpoint

NARMS – EB 1999

Veterinary Isolates

**Fig. 26. Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Swine (Diagnostic)**

Trimethoprim/Sulfamethoxazole



↓ Breakpoint